

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 10-306078

(43)Date of publication of application : 17.11.1998

(51)Int.Cl.

C07D233/64
 A61K 31/415
 A61K 31/425
 A61K 31/44
 A61K 31/495
 A61K 31/505
 A61K 31/535
 C07D213/30
 C07D213/71
 C07D213/74
 C07D231/12
 C07D233/61
 C07D233/84
 C07D239/42
 C07D249/08
 C07D277/36
 C07D295/12
 C07D307/64
 C07D333/34
 C07D401/12
 C07D401/12
 C07D401/12
 C07D401/12
 C07D403/12
 C07D403/12

(21)Application number : 09-117976

(71)Applicant : MITSUBISHI CHEM CORP

(22)Date of filing : 08.05.1997

(72)Inventor : INOUE SHINYA

TARAO YOSHIHIRO

KOMATSU YOSHIYUKI

SUZUKI KAZUO





TAKAHASHI CHIZUKO

(54) UREA DERIVATIVE

(57)Abstract:

PROBLEM TO BE SOLVED: To obtain a new urea derivative useful as an active ingredient of a medicine used for prevention and/or treatment of diseases such as hyperlipemia or arteriosclerosis.

SOLUTION: This urea derivative is represented by formula I [R1 to R3 are each H, OH, an alkyl, an alkoxy, an aralkyloxy, etc.; R4 is H, an alkyl, a cycloalkyl, etc.; R5 to R7 are each H, an alkoxy, an alkyl, OH, etc.; Y is an alkyl, an aryl, etc.; (k) is 0-3; (1) is 2-4], its salt, hydrate or solvate, e.g. N-(4-(4-methyl-1-piperazinyl)phenyl)methyl-N'-[2-[3-(4-phenyl-1-piperazinyl)propoxy]-6-methylphenyl]urea. The compound represented by formula I is obtained by converting an aniline derivative represented by formula II into a reactional intermediate represented by formula III



(Z is a halogen, an aryloxy, etc.), then reacting the resultant intermediate with an amine derivative represented by formula IV in which (k) is 1-3 or an aniline derivative represented by formula IV in which (k) is 0.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2000 Japan Patent Office